
Figure 1





t = 0 , = 1


## Figure 2

Percent Motility (%Mot) and Progression (Prog) of Sperm Treated with 1.5 mg/ml of LSA; Pre-Wash (PW) and Post -Canacitation (PC) Zona Binding Assay (ZBA) and IVE

	Post	Post -Capacitation		C). Zoni	a Binding	Assay (	(PC). Zona Binding Assay (ZBA) and IVF	Б.					
			ZBA				d			IVF			
Male	Control % Mot Prog	<b>trol</b> Prog	PW % Mot Prog	PW lot Prog	PC % Mot Prog	PC ot Prog	Male	Control % Mot Prog	<b>trol</b> Prog	PW % Mot Prog		PC % Mol Prog	Prog
876 70 711 776	70 3 71 3 80 4 76 3	ოო4 ო	60 78 76 85	0 m m 4	72 83 73 82	w w 4 4	361. 776 776	78 56 68 63	n n n n	86 53 71 66	m 0 m 0	81 59 70 69	n n n n
Mean SEM	74.3 3.3 2.7 0.3	3.3	74.8	3.0	77.5 3.5 3.4 0.3	3.5	Mean	66.3 2.5 5.3 0.3	2.5	69.0 2.5 7.9 0.3	2.5	69.8 2.5 5.2 0.3	2.5



## Figure 3








Figure 4





## Figure 5

IVF with sperm treated with 1.5 mg/ml LSA; Pre-Wash (PW) and Post-Capacitation (PC). Sperm concentration = 500,000 motile/ml. 4-5 Oocytes per treatment.

## Fertilization Rates (%)

PW PC	0000	0 0
Control	80 40 100 40	65.0 17
Male	361 776 776 70	Mean SEM
Female Male	29082 29230 29877 28541	








Figure 7

